



NAA20 rabbit pAb antibody

Catalog No :	Source:	Concentration :	Mol.Wt. (kD):
A18059	Rabbit	1 mg/ml	20 kD
Applications	WB		
Reactivity	Human, Mouse		
Dilution	WB 1:500-2000		
Storage	-20°C/1 year		
Specificity	This antibody detects endogenous levels of NAA20 at Human/Mouse		
Source / Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.		
Immunogen	Synthesized peptide derived from human NAA20		
Uniprot No	P61599		
Alternative names			
Form	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.		
Clonality	Polyclonal		
Isotype			
Conjugation			
Background	NAT5 is a component of N-acetyltransferase complex B (NatB). Human NatB performs cotranslational N(alpha)-terminal acetylation of methionine residues when they are followed by asparagine (Starheim et al., 2008 [PubMed 18570629]).[supplied by OMIM, Apr 200		
Other	Gene_name: NAA20 NAT5 ; Protein_name: NAA20; Expression:		
Product Images			

Application Key:

W-Western IP-Immunoprecipitation IHC-Immunohistochemistry ChIP-Chromatin Immunoprecipitation
IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

Species Cross-Reactivity Key:

H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster
X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All



Species Expected

Trademarks

All product names and trademarks are the property of their respective owners.

Regulatory Disclaimer

For life science research only. Not for use in diagnostic procedures.

Contact and Support:

To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](#).

To call, write, fax, or email us, please visit www.aabsci.com, contact information will be displayed.