



## Pan myristoylation rabbit pAb antibody

Catalog No :	Source:	Concentration :	Mol.Wt. (kD):
A19452	Mouse	1 mg/ml	130 80 35 kD
Applications	WB,IHC		
Reactivity	Species independent		
Dilution	WB: 1:1000-2000 IHC: 1:200-500		
Storage	-20°C/1 year		
Specificity	The antibody detects endogenous Pan Methylated Lysine protein.		
Source / Purification	The antibody was affinity-purified from mouse ascites by affinity-chromatography using epitope-specific immunogen.		
Immunogen	Conjugated Protein		
Uniprot No			
Alternative names			
Form	PBS, pH 7.4, containing 0.5%BSA, 0.02% sodium azide as Preservative and 50% Glycerol.		
Clonality	Polyclonal		
Isotype			
Conjugation			
Background	Methylation of lysine residues is a common regulatory posttranslational modification (PTM) that results in the mono-, di-, or tri-methylation of lysine at ε-amine groups by protein lysine methyltransferases (PKMTs). Two PKMT groups are recognized based on		
Other	Gene_name: ; Protein_name: ; Expression:		
Product Images			

### Application Key:

W-Western IP-Immunoprecipitation IHC-Immunohistochemistry ChIP-Chromatin Immunoprecipitation  
IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

### Species Cross-Reactivity Key:

H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster



X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All  
Species Expected

**Trademarks**

*All product names and trademarks are the property of their respective owners.*

**Regulatory Disclaimer**

*For life science research only. Not for use in diagnostic procedures.*

---

**Contact and Support:**

*To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](#).*

*To call, write, fax, or email us, please visit [www.aabsci.com](http://www.aabsci.com), contact information will be displayed.*