



PKM2 (phospho-Tyr105) rabbit pAb antibody

Catalog No :	Source:	Concentration :	Mol.Wt. (kD):
A19946	Rabbit	1 mg/ml	58 kD
Applications	IHC, ELISA		
Reactivity	Human		
Dilution	IHC 1:50-200, ELISA(peptide)1:5000-20000		
Storage	-20°C/1 year		
Specificity	This antibody detects endogenous levels of human PKIG		
Source / Purification	The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen.		
Immunogen	Synthesized peptide derived from human PKIG		
Uniprot No	Q9Y2B9		
Alternative names	cAMP-dependent protein kinase inhibitor gamma (PKI-gamma)		
Form	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.		
Clonality	Polyclonal		
Isotype			
Conjugation			
Background	protein kinase (cAMP-dependent, catalytic) inhibitor gamma(PKIG) Homo sapiens This gene encodes a member of the protein kinase inhibitor family. Studies of a similar protein in mice suggest that this protein acts as a potent competitive cAMP-dep		
Other	Gene_name: PKIG ; Protein_name: PKIG; Expression: Parathyroid,PCR rescued clones,Testis,		

Product Images

Application Key:

W-Western IP-Immunoprecipitation IHC-Immunohistochemistry ChIP-Chromatin Immunoprecipitation
IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

Species Cross-Reactivity Key:

H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster



X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All
Species Expected

Trademarks

All product names and trademarks are the property of their respective owners.

Regulatory Disclaimer

For life science research only. Not for use in diagnostic procedures.

Contact and Support:

To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](#).

To call, write, fax, or email us, please visit www.aabsci.com, contact information will be displayed.