



TIG3 rabbit pAb antibody

Catalog No :	Source:	Concentration :	Mol.Wt. (kD):
A22573	Rabbit	1 mg/ml	18 kD
Applications	IHC,WB		
Reactivity	Human		
Dilution	IHC 1:50-200, WB 1:500-2000		
Storage	-20°C/1 year		
Specificity	This antibody detects endogenous levels of human TIG1		
Source / Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.		
Immunogen	Synthesized peptide derived from human TIG1		
Uniprot No	P49788		
Alternative names	Retinoic acid receptor responder protein 1 (RAR-responsive protein TIG1) (Tazarotene-induced gene 1 protein)		
Form	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.		
Clonality	Polyclonal		
Isotype			
Conjugation			
Background	retinoic acid receptor responder 1(RARRES1) Homo sapiens This gene was identified as a retinoid acid (RA) receptor-responsive gene. It encodes a type 1 membrane protein. The expression of this gene is upregulated by tazarotene as well as by retinoi		
Other	Gene_name: RARRES1 TIG1 ; Protein_name: TIG1; Expression: Skin,		
Product Images	□		

Application Key:

W-Western IP-Immunoprecipitation IHC-Immunohistochemistry ChIP-Chromatin Immunoprecipitation
IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

Species Cross-Reactivity Key:

H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster



X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All
Species Expected

Trademarks

All product names and trademarks are the property of their respective owners.

Regulatory Disclaimer

For life science research only. Not for use in diagnostic procedures.

Contact and Support:

To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](#).

To call, write, fax, or email us, please visit www.aabsci.com, contact information will be displayed.