



HA-Tag mouse mAb(Mix) antibody

Catalog No :	Source:	Concentration :	Mol.Wt. (kD):
A42018	Mouse		
Applications	WB		
Reactivity	Species independent		
Dilution	WB: 1:500-10000		
Storage	-20°C/1 year		
Specificity	The antibody detects C-terminal, internal, and N-terminal HA-tag fusion proteins.		
Source / Purification	The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen.		
Immunogen	Synthetic Peptide of HA-Tag		
Uniprot No			
Alternative names			
Form	PBS, pH 7.4, containing 0.5%BSA, 0.02% sodium azide as Preservative and 50% Glycerol.		
Clonality	Polyclonal		
Isotype			
Conjugation			
Background	The HA tag (Y-P-Y-D-V-P-D-Y-A) is derived from an epitope (amino acids 98-106) of the influenza hemagglutinin (HA) protein. HA tag is used as a general epitope tag in expression vectors for many recombinant proteins. The presence of HA tag facilitates the		
Other			
Product Images			

Application Key:

W-Western IP-Immunoprecipitation IHC-Immunohistochemistry ChIP-Chromatin Immunoprecipitation
IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

Species Cross-Reactivity Key:



H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster
X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All
Species Expected

Trademarks

All product names and trademarks are the property of their respective owners.

Regulatory Disclaimer

For life science research only. Not for use in diagnostic procedures.

Contact and Support:

To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](#).

To call, write, fax, or email us, please visit www.aabsci.com, contact information will be displayed.