



His-Tag rabbit pAb antibody

Catalog No :	Source:	Concentration :	Mol.Wt. (kD):
A42025	Rabbit		

Applications	WB
Reactivity	Species independent
Dilution	WB: 1:5000
Storage	-20°C/1 year
Specificity	The antibody detects C-terminal, internal, and N-terminal His-tag fusion proteins.
Source / Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using specific immunogen.
Immunogen	Synthetic peptide:HHHHHH conjugated to KLH.
Uniprot No	
Alternative names	
Form	PBS, pH 7.4, containing 0.5%BSA, 0.02% sodium azide as Preservative and 50% Glycerol.
Clonality	
Isotype	
Conjugation	
Background	A polyhistidine-tag is an amino acid motif in proteins that consists of at least five histidine (His) residues, often at the N- or C-terminus of the protein. It is also known as hexa histidine-tag, 6xHis-tag, and by the trademarked name His-tag. Polyhisti

Other

Product Images 

Application Key:

W-Western IP-Immunoprecipitation IHC-Immunohistochemistry ChIP-Chromatin Immunoprecipitation
IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

Species Cross-Reactivity Key:



H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster
X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All
Species Expected

Trademarks

All product names and trademarks are the property of their respective owners.

Regulatory Disclaimer

For life science research only. Not for use in diagnostic procedures.

Contact and Support:

To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](#).

To call, write, fax, or email us, please visit www.aabsci.com, contact information will be displayed.