



Myc-tag rabbit pAb antibody

Catalog No :	Source:	Concentration :	Mol.Wt. (kD):
A42038	Rabbit		

Applications	WB,ELISA
Reactivity	Species independent
Dilution	WB: 1/1000 - 1/3000. ELISA: 1/20000. Not yet tested in other applications.
Storage	-20°C/1 year
Specificity	Myc-tag Polyclonal Antibody detects Myc-tagged recombinant proteins or Myc-tagged proteins overexpressed in cells.
Source / Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Immunogen	Myc synthetic peptide conjugated to KLH.
Uniprot No	
Alternative names	
Form	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.05% sodium azide.
Clonality	
Isotype	
Conjugation	
Background	Myc tag is a polypeptide protein tag derived from the c-myc gene product that can be added to a protein. It can help to separate recombinant, overexpressed protein from wild type protein expressed by the host organism. Myc Tag also can be used to isolate
Other	

Product Images

Application Key:

W-Western IP-Immunoprecipitation IHC-Immunohistochemistry ChIP-Chromatin Immunoprecipitation
IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

Species Cross-Reactivity Key:

H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster



X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All
Species Expected

Trademarks

All product names and trademarks are the property of their respective owners.

Regulatory Disclaimer

For life science research only. Not for use in diagnostic procedures.

Contact and Support:

To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](#).

To call, write, fax, or email us, please visit www.aabsci.com, contact information will be displayed.