



## CCD50 rabbit pAb antibody

Catalog No :	Source:	Concentration :	Mol.Wt. (kD):
A11790	Rabbit	1 mg/ml	34 kD

<b>Applications</b>	WB
<b>Reactivity</b>	Human, Mouse,Rat
<b>Dilution</b>	WB 1□500-2000
<b>Storage</b>	-20°C/1 year
<b>Specificity</b>	This antibody detects endogenous levels of CCD50 at Human/Mouse/Rat
<b>Source / Purification</b>	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
<b>Immunogen</b>	Synthesized peptide derived from human CCD50
<b>Uniprot No</b>	Q8IVM0
<b>Alternative names</b>	
<b>Form</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	
<b>Conjugation</b>	
<b>Background</b>	This gene encodes a soluble, cytoplasmic, tyrosine-phosphorylated protein with multiple ubiquitin-interacting domains. Mutations in this gene cause nonsyndromic, postlingual, progressive sensorineural DFNA44 hearing loss. In mouse, the protein is expresse
<b>Other</b>	Gene_name: CCDC50 C3orf6 ; Protein_name: CCD50; Expression:

### Product Images□

#### Application Key:

W-Western IP-Immunoprecipitation IHC-Immunohistochemistry ChIP-Chromatin Immunoprecipitation  
IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

#### Species Cross-Reactivity Key:

H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster  
X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All



Species Expected

**Trademarks**

*All product names and trademarks are the property of their respective owners.*

**Regulatory Disclaimer**

*For life science research only. Not for use in diagnostic procedures.*

---

**Contact and Support:**

*To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](#).*

*To call, write, fax, or email us, please visit [www.aabsci.com](http://www.aabsci.com), contact information will be displayed.*