



## CUG-BP1 rabbit pAb antibody

| Catalog No :                 | Source:  | Concentration : | Mol.Wt. (kD): |
|------------------------------|--|-----------------|---------------|
| A13186                       | Rabbit   | 1 mg/ml         | 52 kD         |
| <b>Applications</b>          | WB,IHC,ELISA   |                 |               |
| <b>Reactivity</b>            | Human,Mouse,Rat  |                 |               |
| <b>Dilution</b>              | WB: 1/500 - 1/2000. IHC: 1/100 - 1/300. ELISA: 1/40000. Not yet tested in other applications.  |                 |               |
| <b>Storage</b>               | -20°C/1 year   |                 |               |
| <b>Specificity</b>           | CUG-BP1 Polyclonal Antibody detects endogenous levels of CUG-BP1 protein.  |                 |               |
| <b>Source / Purification</b> | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.  |                 |               |
| <b>Immunogen</b>             | The antiserum was produced against synthesized peptide derived from human CELF-1. AA range:71-120  |                 |               |
| <b>Uniprot No</b>            | Q92879   |                 |               |
| <b>Alternative names</b>     | CELF1; BRUNOL2; CUGBP; CUGBP1; NAB50; CUGBP Elav-like family member 1; CELF-1; 50 kDa nuclear polyadenylated RNA-binding protein; Bruno-like protein 2; CUG triplet repeat RNA-binding protein 1; CUG-BP1; CUG-BP- and ETR-3-like factor 1; Dead             |                 |               |
| <b>Form</b>                  | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  |                 |               |
| <b>Clonality</b>             | Polyclonal   |                 |               |
| <b>Isotype</b>               |  |                 |               |
| <b>Conjugation</b>           |  |                 |               |
| <b>Background</b>            | CUGBP, Elav-like family member 1(CELF1) Homo sapiens Members of the CELF/BRUNOL protein family contain two N-terminal RNA recognition motif (RRM) domains, one C-terminal RRM domain, and a divergent segment of 160-230 aa between the second and third RRM |                 |               |
| <b>Other</b>                 | Gene_name: CELF1 ; Protein_name: CUGBP Elav-like family member 1; Expression: Brain,Skeletal muscle,Testis,  |                 |               |

### Product Images

### Application Key:



W-Western IP-Immunoprecipitation IHC-Immunohistochemistry ChIP-Chromatin Immunoprecipitation  
IF-Immunofluorescence F-Flow Cytometry E-P-ELISA-Peptide

**Species Cross-Reactivity Key:**

H-Human M-Mouse R-Rat Hm-Hamster Mk-Monkey Vir-Virus Mi-Mink C-Chicken Dm-D. melanogaster  
X-Xenopus Z-Zebrafish B-Bovine Dg-Dog Pg-Pig Sc-S. cerevisiae Ce-C. elegans Hr-Horse All-All  
Species Expected

**Trademarks**

*All product names and trademarks are the property of their respective owners.*

**Regulatory Disclaimer**

*For life science research only. Not for use in diagnostic procedures.*

---

**Contact and Support:**

*To ask questions, solve problems, suggest enhancements and report new applications, please visit our [Online Technical Support Site](#).*

*To call, write, fax, or email us, please visit [www.aabsci.com](http://www.aabsci.com), contact information will be displayed.*